

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(body and guide and wiper and (cut or cutt\$3) and channel and fixed and support and sop and protrud\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/10/30 17:00
L3	0	(body and guide and wiper and (cut or cutt\$3) and channel and fixed and support and sop and protrud\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/10/30 17:00
S1	2	("5848471").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/26 14:52
S2	26	("1753086"   "1770336"   "2635334"   "2759544"   "2881520"   "3611571"   "3644993"   "3886657"   "4334448"   "4434554"   "4497233"   "4524516"   "4604802"   "4785699"   "5044078"   "5058274"   "5235751"   "5251351"   "5359776"   "5377563").PN. OR ("5848471").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/18 14:07
S9	372	wiper adj blade and trim \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/18 14:11
S10	76	wiper adj blade and trim \$4 and (car or squeege)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/18 14:57
S11	2	("5310437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/18 14:57
S12	454	(30/292).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/26 15:38
S13	1200	putty adj knife or paint adj scraper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/26 15:39

S14	299	putty adj knife same handle or paint adj scraper same handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/26 15:56
S15	70	rotary near paper near cutter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/26 16:36
S16	714	(30/289).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/26 16:36
S17	291	(30/290).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/26 17:02
S18	169	(30/291).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/27 10:35
S19	826	(30/293).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/27 10:35
S20	1224	(30/294).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/04/27 10:45
S21	26	("1753086"   "1770336"   "2635334"   "2759544"   "2881520"   "3611571"   "3644993"   "3886657"   "4334448"   "4434554"   "4497233"   "4524516"   "4604802"   "4785699"   "5044078"   "5058274"   "5235751"   "5251351"   "5359776"   "5377563"). PN. OR ("5848471"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:13
S22	321	30/278.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:27
S23	605	30/280.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:37
S24	0	30/219.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:38
S25	248	30/279.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:41
S26	318	30/281.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:47
S27	285	30/283.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:50

S28	689	30/286.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/27 11:50
S29	11367	"30"/\$.ccls. and guides	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 17:17
S30	769	242/615.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 17:24
S31	1302	242/615.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 17:30
S32	627	30/233.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 17:41
S33	151	"30"/\$.ccls. and (((bevel \$2 or taper\$2) near2 (inlet or intake or guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:30
S34	7122	(((bevel\$2 or taper\$2) near2 (inlet or intake or guide))) and (cut\$4 or slic \$3 or trim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:31
S35	6935	(((bevel\$2 or taper\$2) near2 (inlet or intake or guide))) and (cut\$4 or trim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:32
S36	3458	(((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:32
S37	2408	(((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4)and (blade or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:32
S38	2408	(((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4) and (blade or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/22 10:32

S39	26	("1753086"   "1770336"   "2635334"   "2759544"   "2881520"   "3611571"   "3644993"   "3886657"   "4334448"   "4434554"   "4497233"   "4524516"   "4604802"   "4785699"   "5044078"   "5058274"   "5235751"   "5251351"   "5359776"   "5377563"). PN. OR ("5848471"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:23
S40	23	("0236038"   "0291305"   "0377909"   "0773769"   "1768072"   "1974194"   "2273969"   "2583595"   "2766793"   "4038892"   "5745999"   "5765472"). PN. OR ("6732622"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:35
S41	2	("5848471").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S42	26	("1753086"   "1770336"   "2635334"   "2759544"   "2881520"   "3611571"   "3644993"   "3886657"   "4334448"   "4434554"   "4497233"   "4524516"   "4604802"   "4785699"   "5044078"   "5058274"   "5235751"   "5251351"   "5359776"   "5377563"). PN. OR ("5848471"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S43	0	(10/913765).APP.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S44	2	("20020107431").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S45	2	("5765238").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S46	0	"10913765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37

S47	2	"20050027316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S48	377	wiper adj blade and trim \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S49	76	wiper adj blade and trim \$4 and (car or squeege)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S50	2	("5310437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S51	457	(30/292).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S52	1242	putty adj knife or paint adj scraper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S53	306	putty adj knife same handle or paint adj scraper same handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S54	70	rotary near paper near cutter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S55	717	(30/289).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S56	291	(30/290).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S57	169	(30/291).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S58	829	(30/293).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37
S59	1230	(30/294).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/09/26 16:37

S60	26	("1753086"   "1770336"   "2635334"   "2759544"   "2881520"   "3611571"   "3644993"   "3886657"   "4334448"   "4434554"   "4497233"   "4524516"   "4604802"   "4785699"   "5044078"   "5058274"   "5235751"   "5251351"   "5359776"   "5377563"). PN. OR ("5848471"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S61	324	30/278.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S62	607	30/280.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S63	0	30/219.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S64	249	30/279.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S65	318	30/281.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S66	285	30/283.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S67	694	30/286.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:37
S68	11496	"30"/\$.ccls. and guides	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S69	772	242/615.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S70	1308	242/615.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S71	630	30/233.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S72	154	"30"/\$.ccls. and (((bevel \$2 or taper\$2) near2 (inlet or intake or guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S73	7289	(((bevel\$2 or taper\$2) near2 (inlet or intake or guide))) and (cut\$4 or slic \$3 or trim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37

S74	3535	((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S75	2465	((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4)and (blade or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S76	2465	((bevel\$2 or taper\$2) near (inlet or intake or guide))) and (cut\$4 or trim\$4) and (blade or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/26 16:37
S77	2515885	(S41 or S42 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and ((spindle or rod) name nut)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:39
S78	198519	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and ((spindle or rod) same nut)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:40
S79	109412	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:40

S80	46305	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4 same (cut or guide))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:40
S81	50230	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4 same (cut or guide or blade))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:42
S82	35817	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4 same (cut or guide or blade) same thread\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:43



S83	2448	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4 same (cut or guide or blade) same thread\$4) and (S68/\$. ccls. or "83"/\$.ccls. or "81"/\$.ccls. or S45/\$. ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:47
S84	1203	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) same adjust\$4 same (cut or guide or blade) same thread\$4) and (S68/\$. ccls. or "83"/\$.ccls. or "81"/\$.ccls. or S45/\$. ccls.) and (handle or hand near held or handheld)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:57
S85	82	(S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 or S68 or S69 or S70 or S71 or S72 or S73 or s "35" or S74 or S75 or S76) and (((spindle or rod) same nut) near3 adjust\$4 same (cut or guide or blade) same thread\$4) and (S68/\$. ccls. or "83"/\$.ccls. or	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 09:30

		"81"/\$.ccls. or S45/\$.ccls.) and (handle or hand near held or handheld)				
S86	18	"30"/\$.ccls. and (adjust same depth same spindle)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 09:33
S87	219	"30"/\$.ccls. and (adjust same depth same screw)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 09:47
S88	64	"30"/\$.ccls. and (adjust same material same depth same screw)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 09:47
S89	11	"3509786"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:18
S90	31	"4110799"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:20
S91	0	"8633867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:21
S92	0	"8633847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:21
S93	0	"8633847.2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:21
S95	8	"9405275"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:25
S96	0	"26906561"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:26
S97	0	"8716269"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 14:53
S98	2	("20030140761").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/06/19 14:54
S99	39746	cut\$4 and (passage same curv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 15:50

S100	7173	cut\$4 and ((passage or guide) near curv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 15:51
S101	1277	cut\$4 and ((passage or guide) near curv\$3) same longitudin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 15:51
S102	275	("83"/\$.ccls. or "269"/\$.ccls. or "83"/\$.ccls.) and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/19 15:53
S103	2	("20060032057").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/11/08 14:35
S104	14	("0310349"   "0317092").PN. OR ("3644993").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/08 17:26
S105	27	"30"/\$.ccls. and measur\$3 same (marks or indicia or ruler\$1) and wall same board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/10/27 14:28
S106	70	"30"/\$.ccls. and (cigar or cigarette or butter or cheese) and measur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/10/27 14:32
S107	11	("1679004").URPN.	USPAT	OR	ON	2008/10/27 14:35
S108	16	("1679004"   "1846423"   "2580864"   "2723454"   "2737721"   "4513501"   "4697488"   "4960024").PN. OR ("5621972").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/27 14:35
S109	22	("0656745"   "2580864"   "2813336"   "3920156"   "3974539").PN. OR ("4513501").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/27 14:36
S110	15	"30"/\$.ccls. and wall same board and (scale or indicator or ruler) same depth	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/27 14:38
S111	11	("2529210"   "2706002"   "3174225").PN. OR ("5027515").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/27 14:43

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L4	0	(body and guide and wiper and (cut or cutt\$3) and channel and fixed and support and sop and protrud\$3).clm.	USPAT; UPAD	OR	ON	2009/10/30 17:00
L5	0	(body and guide and wiper and (cut or cutt\$3) and channel and fixed and support and sop and protrud\$3)	USPAT; UPAD	OR	ON	2009/10/30 17:00

**10/ 30/ 2009 5:02:51 PM****C:\ Documents and Settings\ elandrum\ My Documents\ EAST\ Workspaces\ 10528400A.wsp**